



**Flooring Tools & Accessories**  
**For Professionals Since 1938**



**2020**



In 1938, Roy Roberts came up with an idea of how to install wall-to-wall carpet without using the traditional method of using tacks around the edges of the room. Roy Roberts, Hugh Livie and Ken Bishop each put up \$1,000 and invested in some plywood, a Sears-Roebuck table saw, a keg of shingle nails, pliers, hammers and similar essentials. And so, the story of ROBERTS and the ROBERTS carpet gripper was born.

While traveling around the country selling and training installers on how to use 'tackless carpet strip', the three partners gained tremendous knowledge about carpet installation. It gave them an opportunity to see firsthand what other materials and products might be necessary to help modernize carpet installation techniques for the whole industry. There was an obvious need for modern tools and techniques. The partners obtained national sales rights for the most modern knee-kickers and extension stretchers they could find. They then acquired manufacturing rights and made improvements under the ROBERTS label. The company held early patents on knee kickers, carpet seaming irons, loop pile carpet cutters, carpet knives, a carpet binding machine and tack strip. As they developed new tools and new ways to install flooring, they continued to educate carpet installers on newer methods of installations.

The carpet industry had also just begun to use liquid latex for carpet seaming and repair, so the newly formed company developed a new latex formula of its own and labeled it Rubber-edge, laying the groundwork for today's thriving adhesives division of Roberts Consolidated Industries, Inc.

Now, over 80 years later and with locations and product lines known throughout the world, generations of installers have grown up using ROBERTS adhesives, carpet installation tools and accessories. Worldwide, the ROBERTS name continues to be the manufacturer of choice for installation professionals who demand quality and reliability.

**Supporting Professional Installers**

*- Since 1938 -*

# CONTENTS



## CARPET TOOLS

CARPET STRETCHERS, HEAT BOND IRONS, HAND TOOLS

4



## CARPET CUTTING & JAMB SAWS

CARPET TRIMMERS, TUCKERS, SCISSORS, KNIVES & BLADES, JAMB SAWS

15



## TACK STRIP & NAILS

TACKSTRIP, CARPET GRIPPERS, NAILS

24



## VINYL TOOLS

CUTTERS & BLADES, HAND TOOLS, ROLLERS

27



## WOOD & LAMINATE TOOLS

FLOOR CUTTERS, INSTALL KITS, HAND TOOLS, PUTTY, PORTA-NAILS®

32



## TROWELS

CARPET, VINYL, WOOD

40



## CRACK SUPPRESSION

PROFLEX

43



## UNDERLAYMENTS

LAMINATE, WOOD, LVT, VINYL, CORK

45



## TAPE

INSTALLATION TAPE, RUG GRIPPER™, UNDERLAYMENT SEAM TAPE

51



## TEAR-OUT TOOLS

HAND TOOLS, SCRAPERS & BLADES

54



# CARPET TOOLS

## Power-Lok Stretcher

**ROBERTS**

The 10-254V Value Kit includes: one power unit, tail block with wheels, six 3 ft. extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



The Power-Lok Stretcher is the most advanced power stretcher available.

- Power-Lok swivel head locks into 17 different “stretch/pattern holding” positions
- Unique swivel head for stretching angles or corners
- Variable pin penetration for different carpet thicknesses  
Low profile head with side-kicking platform makes it compatible with a knee-kicker
- Steel handle on head for better grip and repositioning
- Standard 18 in. tail block includes a foam wall protector and wheels for easy repositioning  
Stretch up to 38 ft. with the Value Kit and up to 23-1/2' with the standard set

The Power-Lok Stretcher is also available as a standard set

- A standard 10-254 set includes: one power unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

10-254V	Power-Lok Stretcher Value Kit (1/cs)
10-254	Power-Lok Stretcher (1/cs)
10-254-50	Replacement Power Head for 10-254 (10/cs) (does not include tube, tail block or carrying cases)

**Included with each stretcher!**  
**No. 10-250 Adjustable Locking Tube**



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

## Additional Stretcher Tubes

**ROBERTS**

- Fits all standard Roberts Stretchers as well as most other standard carpet stretchers

10-250	Adjustable Locking Tube (1/cs)
10-230-10	3' Steel Stretcher Tube Fits 10-254 and 10-237 Stretchers (1/cs)
10-235-10	3' Aluminum Stretcher Tube (not shown) (1/cs)
10-235-05	5' Aluminum Stretcher Tube (not shown) (1/cs)



## Junior Power Stretcher

ROBERTS

The 10-237V Value Kit includes: one power unit, tail block with wheels, six 3' extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case




Our most economical power stretcher is loaded with features.

- The low profile power head is easy to span with the knee kicker
- 18 in. spring-loaded tail block with wheels provides additional support
- Stretch over 38' with the Value Kit and up to 23-1/2' with the standard set

The Junior Power Stretcher is also available as a standard set.

- A standard 10-237 set includes: one power unit, tail block with wheels, three 3' extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

Included with each stretcher!  
No. 10-250 Adjustable  
Locking Tube



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

10-237V	Junior Power Stretcher Value Kit (1/cs)
10-237	Junior Power Stretcher (1/cs)
10-237-50	Replacement Power Head for 10-237 (1/cs) (does not include tube, tail block or carrying cases)

## Stretcher Cases

ROBERTS

The Roberts Stretcher Case System includes a stretcher case with wheels and a tube case that hooks onto the stretcher case for easy transportation. The cases are easily split apart to equally distribute the weight when carrying to and from the jobsite. Both cases include high-density blow molded plastic walls for exceptional durability, recessed hinges and latches and comfortable molded handles.



10-230-40



10-230-3K

- Stretcher Case with 4" Wheels holds stretcher unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube and transfer tube (nylon web belt with quick release buckle included)
- For use with 10-254 and 10-237 stretchers

10-230-40	Empty Stretcher Case with Wheels (1/cs)
10-230-3K	Tube Case with Three 3' Extension Tubes (1/cs)

## Locking Pattern Matching & Seam Repair Stretcher

ROBERTS



ON/OFF knob provides locking or conventional operation



INCLUDES: Tailblade for stretching carpet off of tack strip



The unique locking action enables "hands-off" seam repair. Turn the Automatic Locking Mechanism "ON" and the power-head locks each 1/4" of pin plate travel for easy pattern alignment. Turn the locking action "OFF" and the stretcher works in the conventional "non-locking" mode.

- Adjustable pin depths for different carpet thicknesses
- Holds up to 300 lbs. of stretch tension
- Tailblade swivel construction allows for angle stretching in any direction off of tack strip
- Solid die cast frame stands up to years of dependable service
- Includes custom molded carrying case

- 10-128 Locking Pattern Matching and Seam Repair Stretcher (1/cs)
- 10-117-04 Powerhead Replacement Unit (1/cs)
- 10-107-03 Tailblade Replacement Unit (1/cs)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 1.

## Nap Grip Head (Cotton Head)

ROBERTS



- Designed to use on low profile loop, cut pile and woven carpets

- 10-248 Nap Grip Head for 10-254 and 10-237 stretchers (1/cs)

## Power Stretcher Tail

ROBERTS



- Needle sharp point bites through carpet and pad into wood subfloor for a firm solid stretch
- Stretch even when there are no walls to brace against
- Precision made with hand-ground tempered steel
- Fits all standard Roberts Stretchers

- 10-258 Power Stretcher Tail (1/cs)

## Gel Pro 505 Knee Kicker

ROBERTS



- Innovative lever design for easy pin depth adjustment
- Gel bumper softens impact to knee, reducing knee shock
- Angled bumper provides optimum driving impact
- Contoured, heavy duty "bullneck" body design
- Quick thumb release for adjusting the extension arm
- Comfort pad insert

10-505-LE Red Anniversary Edition Gel Pro 505 Knee Kicker (2/cs)  
 10-505-2 Gel Pro 505 Knee Kicker (Silver in clamshell) (2/cs)  
 10-505-200 Bumper Pad Kit (Bumper, Plate, Boot, Gel Pad) (1/cs)

## GT Knee Kicker

GOLDEN TOUCH



- Easy one button adjustments from 18-7/8" to 24" lengths
- Extra wide head for improved load distribution
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial

10-501 GT Knee Kicker (3/cs)  
 10-412-09 Replacement Bumper Pad (2" thick) (1/cs)  
 10-422-09 Replacement Bumper Pad (3" thick) (1/cs)

## Deluxe Knee Kicker

ROBERTS



The 10-412 Deluxe Knee Kicker is Roberts' most popular knee kicker and has been the "industry standard" for over 40 years.

- Trigger assembly easily adjusts the length from 17" to 21"
- Superior die cast aluminum body is lightweight and durable
- Exclusive non-slip checkered hand grip
- Foam-filled seamless bumper pad for extra comfort
- Easy to read, easy to adjust pin depth dial
- Center grooved head for adjusting power stretcher head

10-412-2	Deluxe Knee Kicker (no case)	(2/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Bumper Pad (3" thick)	(1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
See P. 57, \*Prop 65 - 2.

## Deluxe High Profile Knee Kicker

ROBERTS



The 10-422BK features the same solid construction and reliability of the 10-412 but with the added value of a number of installer-designed features.

- High contour neck for use over stretcher head and poles
- 50% thicker bumper pad for extra knee comfort
- 16% wider head for improved load distribution
- Solid, dependable trigger release adjusts from 17-1/2" to 21-1/2"
- Non-slip checkered hand grip
- Center grooved head for adjusting power stretcher head

10-422BK	Deluxe High Profile Knee Kicker	(3/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Thick Bumper Pad (3" thick)	(1/cs)

## Adjustable Knee Kicker

ROBERTS



- Great for all carpeting installations - big or small
- Double locking pins to easily adjust length from 19" to 23"
- Extra heavy aluminum casting and industrial grade steel provide rugged strength
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial
- Durable powder coated finish

10-410	Adjustable Knee Kicker	(3/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Bumper Pad (3" thick)	(1/cs)

## Professional Electric Stapler

ROBERTS



- Powerful, 15 amp solenoid delivers more power to drive staples deeper, 120 V
- 6-3/4" low profile head allows easy access in tight places, particularly stairs
- Heavy 14 gauge, 12' power cord offers maximum power and provides a wider range of travel without extension cords
- Hardened driver mechanism that shoots 20 gauge,
- 3/16" crown staples
- Quick-release bottom loading magazine for fast reloading (85 staple capacity)
- Ergonomic non-slip handle with rubber grip for maximum comfort and control
- Includes custom molded carrying case
- Accepts Roberts 10-5418D, Duo-Fast® #5418-D, and other quality brand 9/16" divergent Point Staples

10-600 Professional Electric Stapler (1/cs)  
10-5418D 9/16" Staples (5000/bx) (20/cs)

## Nail Driving Bar

ROBERTS



- Constructed of cold forged carbon steel for an extra long life
- Features a magnetic head to hold nails in place for easy starting
- Unique design to access hard-to-reach places such as: under radiators, toe kicks, overhangs and next to glass doors when nailing down tackless strip
- 12-3/8" in length, with soft, no-slip handle

10-151 Nail Driving Bar (6/cs)

## Staple Hammer

ROBERTS



- Perfect balance, durable stamped steel, comfortable vinyl grip, and easy back-end loading
- Accepts 3/8 in. staples
- Holds 160 staples

10-109 Staple Hammer (6/cs)  
30-110 3/8" Chisel Point Staples 5000/bx (20/cs)  
30-210 3/8" Divergent Point Staples 5000/bx (20/cs)

## Chisel Point Staples

ROBERTS



- Get jam-proof efficiency with its "V" shaped points that drive easily into most wood floors

30-110 3/8" Staples (5000/bx) (20/cs)

## Divergent Point Staples

ROBERTS



- Easily penetrate vinyl tile, linoleum, felt and wood (including hardwoods) with its 60° point
- Get added holding power when staple legs veer in opposite directions

30-210 3/8" Staples (5000/bx) (20/cs)  
10-5418D 9/16" Staples (5000/bx) (20/cs)

## Cool Shield® Heat Bond Iron

ROBERTS



The Cool Shield Heat Bond Iron melts 3" wide heat bond tape quickly and easily while maintaining a cooler top shield temperature. Even on the highest setting of 428°F the 10-482G reaches a maximum heat shield temperature of only 256°F.

- Double heat shield minimizes deforming of carpet backing and face yarn
- "S" shaped heating element provides even heating and longer heat retention
- Grooved non-stick base for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger carpet seams
- Streamlined, low profile design allows for easy carpet seaming
- 3-way cord guide keeps the 9-1/2' cord out of the way
- Thermostat indicator light shows when iron is heating

10-482G Cool Shield Heat Bond Iron (110 V) (3/cs)

## Deluxe Heat Bond Iron

ROBERTS



This best selling Heat Bond Iron is the first choice of professionals worldwide.

- Streamlined, low profile design allows for easy carpet seaming
- Even heat distribution for thorough melting
- Heat shield to prevent backings from overheating
- Non-stick coated for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger seams
- 2-way pivoting cord for easier control
- Stay-cool handle and up-front thermostat make it easy to use
- Bi-color indicator light turns red to green when at desired temperature
- Approximate heat range 135°F to 425°F

10-282G-2 Deluxe Heat Bond Iron, Grooved Base (110 V) (2/cs)

## 6" Heat Bond Iron

ROBERTS



Get faster, more thorough bonding even near walls or in doorways.

- Custom designed to distribute heat evenly from front to tail
- Special contoured handle stays cool
- Grooved non-stick base for fast, easy clean-up
- Up-front thermostat control for easy heat-setting adjustments
- Low profile, tapered base plate design for joining carpet easily at the back of the iron
- 3-way cord guide keeps cord out of the way
- Approximate heat range 135°F to 425°F
- 110 V

10-286G 6" Heat Bond Iron (110 V) (3/cs)

## 4" Loop Pile Seam Roller

ROBERTS



- Extended, angled soft grip handle for better leverage
- Specifically designed for seaming loop pile and berber carpets
- Star wheels maximize hot melt transfer into carpet back for stronger seams
- Excellent for Securing carpet on tack strip

10-169 4" Loop Pile Seam Roller (3/cs)

## 5" Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Wide head reduces dishing in seam area
- Durable and lightweight superior die cast handle
- Get stronger seams and increased hot melt transfer into carpet back with stationary roller shaft

10-100 5" Extra Wide Carpet Seam Roller (3/cs)

## 4 1/2" Deluxe Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Professionally finishes even the most demanding carpet seams
- No-slip handle and lightweight design to minimize user fatigue
- Offset, extra wide 4-1/2" rollers to reduce seam peaking and maximize adhesive penetration for stronger, longer lasting seams

10-101 4-1/2" Deluxe Carpet Seam Roller (4/cs)

## 4" Cut Pile Seam Roller

ROBERTS




- Extended, angled soft grip handle for better leverage
- Smooth roller forces carpet backing into seaming tape without fraying yarn ends
- Specifically designed for safe seaming of cut pile carpets, saxonomies and vinyl seams

10-170 4" Cut Pile Seam Roller (3/cs)

## 24" Steel Tool Box

ROBERTS



Seaming Plate



Staple Storage



- Heavy duty steel construction
- Durable full length piano style hinge
- Strong side handles and durable soft grip lid handle for easy carrying
- Vented nylon seaming plate mounted under tray acts as seaming weight
- Tray provides extra storage for staple and nail boxes
- 3 hardened steel hasps provide secure closure and accept padlocks for additional security
- 24" W x 9-3/4" H x 8-3/4" D

10-161-LE Red Anniversary Edition  
24" Steel Tool Box (1/cs)

10-161 24" Steel Tool Box, Black (1/cs)

⚠WARNING: Cancer and Reproductive Harm-  
www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 1.

## Carpet Installation Kit

ROBERTS



### Carpet Installation Kit Includes:

- |           |                                     |
|-----------|-------------------------------------|
| 10-161    | 24" Steel Tool Box                  |
| 10-169    | Loop Pile Seam Roller               |
| 10-108    | Professional 2 in. Strip Cutter     |
| 10-109    | Staple Hammer                       |
| 10-114    | 20 oz. Ripping Hammer               |
| 10-146GT  | GT Cushion Back Cutter              |
| 10-151    | Nail Driving Bar                    |
| 10-152GT  | GT Loop Pile Cutter                 |
| 10-616-2A | Conventional Carpet Trimmer         |
| 10-252    | Professional Carpet Knife           |
| 10-260    | Deluxe Grip Tool Pouch              |
| 10-303S   | Chalk Reel                          |
| 10-321    | White Chalk Refill - 8 oz.          |
| 10-412-2  | Deluxe Knee Kicker                  |
| 10-503    | Base Molding Lifter                 |
| 10-521    | 4" Extra Wide Stair Tool            |
| 10-522-4  | EZ Tuk Carpet Tucker                |
| 10-586-3  | 7" Duckbill Napping Shears          |
| 10-920-6  | Pro Fixed Blade Utility Knife       |
| 10-931    | Linoleum Knife                      |
| 10-140    | 30' Tape Measure                    |
| 10-517    | Row Finder/Separator                |
| 61613     | White Rubber Mallet                 |
| 10-750    | Carpet Installation Tool Kit (1/cs) |

⚠WARNING: Cancer and Reproductive Harm-  
www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 1.


## Carpet Rake & Groomer

ROBERTS HOME

The Roberts® Carpet Rake and Groomer is ideal for quick and easy carpet maintenance. By using a 'Push Pull' motion the rake releases trapped-in dirt, pet hair and debris and pulls it to the surface so that the vacuum can remove it. By using a 'Rake Like' motion the carpet pile is revived with a 'Like New' appearance.

- Easy and quick carpet care and maintenance
- Extra long 51" handle and 12" wide head covers large areas quickly
- Specially designed bristles reach deep into the base of carpet
- Makes vacuum tracks disappear
- Three part handle can be disassembled for easy storage

70-127-3 Carpet Rake and Groomer (3/cs)



## Heavy Cargo Dollies

ROBERTS



- These rugged, durable movers are perfect for moving rolls of carpet or sheet goods, equipment, furniture and appliances
- Each dolly holds up to 1000 pounds
- Made from heavy industrial steel, with welded and bolted construction
- Easily extends from 24" to 33" with spring loaded lock pins
- 3" heavy-duty ball bearing non-mar polyurethane wheels

10-575 Heavy Cargo Dollies set of 2 (1/cs)

## Dual Air Glider

ROBERTS



- A powerful, lightweight mechanism which utilizes hovercraft principles for easy and safe movement of commercial and industrial machinery, office equipment and household appliances without damaging floors
- 8-1/2" x 36" dual vacuum platforms
- 1.75 HP blower provides a 750 lbs. lift capacity
- Improved motor output connector
- Includes carrying case
- 2 Year Warranty

10-480 110 V Dual Air Glider (1/cs)



C US



## CARPET CUTTING & JAMB SAWS

## Conventional Carpet Trimmer

ROBERTS / GOLDEN TOUCH



- Quickly trims carpet neatly at the wall and under toe kicks
- Five position folding handle moves easily in hard to reach areas
- Quick and positive vertical and horizontal adjustment
- Anti-slip rubber handle and hardened stainless steel guide
- 10-617GT includes dual layer spring steel blade clips

10-616-2A Conventional Carpet Trimmer (2/cs)  
(Includes 20 Heavy Duty Slotted Blades)  
Uses replacement blades: 10-444-10

10-617GT GT Carpet Trimmer (Classic Handle) (2/cs)  
Uses replacement blades: 10-444-10

## Multi-Purpose Wall Trimmer

ROBERTS / GOLDEN TOUCH



This Multipurpose Wall Trimmer is not only good for cutting conventional carpet, it is great for cutting soft vinyl sheet goods, carpet tiles and cushion back for glue-down carpets.

- Make cleaner cuts without marking walls
- Hooked blades can be used to cut carpet tiles quickly and easily
- Slotted blades can be used for regular carpet or vinyl sheet goods
- Snap-on anti-friction boot glides smoothly over sheet goods
- Fully adjustable for most material thicknesses
- Stainless steel construction

10-905 Multi-Purpose Wall Trimmer (3/cs)  
Uses replacement blades: 10-438, 10-440, 10-490, 10-491,  
10-492, 10-493

## Loop Pile Cutter

ROBERTS / GOLDEN TOUCH



- Efficiently cuts most loop pile carpet regardless of thickness
- Unique two-blade design accommodates both left and right positions for cutting closer to the yarn edge
- "Direct Contact" locking design keeps blades securely in place
- Throat opening adjusts automatically for different carpet backs
- Constructed of stainless steel for maximum durability

10-152-3 Loop Pile Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)

10-152GT GT Loop Pile Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-438, 10-490, 10-491,  
10-492, 10-493

## Cushion Back Cutter

ROBERTS / GOLDEN TOUCH



- Cut all thicknesses of cushion back carpet and conventional carpet with adjustable blade depth
- Two blades that lock into position for close, precise cutting
- Direct-pressure blade knob holds blades tightly in place
- Constructed of stainless steel for maximum durability

10-146-3 Cushion Back Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)

10-146GT GT Cushion Back Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-438, 10-490, 10-491,  
10-492, 10-493

## Universal Seam Cutter

ROBERTS



- Single center mechanism holds both slotted and utility blades in place
- Superior double usage - use slotted blade for top cutting or trimmer blade for bottom cutting
- 50° blade angle permits cleaner, smoother precise cuts
- Quick release blade replacement feature for fast blade changes
- Extra long nose provides for better row separation
- Accepts all standard utility blades

10-154-3 Universal Seam Cutter (3/cs)  
Uses replacement blades: 10-429, 10-438, 10-433, 10-434, 10-490, 10-491, 10-492, 10-493

## Row Finder/Separator

ROBERTS



- Use to separate carpet rows to minimize damage to nap and loops
- Features tapered round end for cut pile and flattened end for loop pile carpets
- Slip resistant checkered grip

10-517 Row Finder Separator (6/cs)

## Rolling Carpet Tucker

ROBERTS



- Tucks 5 times faster than conventional methods saving the professional time
- Tucks all qualities of carpet against tile, wood flooring, and LVT
- Non-slip grip handle for less user fatigue and provides better grip & control

10-523 Rolling Carpet Tucker (2/cs)

## T Handle Carpet Tucker

ROBERTS



- Ergonomic handle allows for better grip and tool control for superior precision
- Resulting in less impact on wrist and hand, reduced user fatigue
- Ideal for hooking on tack strip
- Chrome finish to protect against corrosion

10-524 T-Handle Carpet Tucker (3/cs)

## Pro Stair Tool

ROBERTS



- Use to set carpet into tack strip, drive carpet into gullies and crease carpet along wall line
- Heavy duty blade easily sets carpet into stairway crevices
- Made from forged, chrome-plated steel

10-521 4" Extra Wide Stair Tool (3/cs)

## EZ TUK Carpet Tucker

ROBERTS



made in  
**USA**

- Lightweight tucking tool will not mark or damage walls
- Use around toilets and ceramic tile without fear of breakage
- Square edge works well for tucking carpet into corners
- Curved edge is great for stairs
- 3-1/2 in. wide blade

10-522-4 EZ TUK Carpet Tucker (4/cs)

## 10" Carpet Shears

ROBERTS



made in  
**USA**

- Precision ground cutting blades
- Superior cutting ability and durability
- Accommodates large hands comfortably with extra wide, vinyl coated cushioned handle openings
- Blade edge sharpens easily on stone
- Chrome plated with knife edges

10-123 10" Carpet Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 3.

## 8" Napping Shears

ROBERTS



made in  
**USA**

Side angle profile



- Offset handle for easy, level napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-121 8" Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 3.

## 6" Duckbill Napping Shears

ROBERTS



made in  
**USA**

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-585 6" Duckbill Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 3.

## 7" Duckbill Napping Shears

ROBERTS



made in  
**USA**

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-586-3 7" Duckbill Napping Shears (3/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 3.

## Professional 2" Strip Cutter

ROBERTS



- Long jaws cut all strip, including architectural strip
- Powerful cutting force - 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)  
Uses replacement blades: 10-439 (see page 21)

## Multi-Use Trim Shears

QEP



- Easily cuts quarter round, tile trim, PVC piping, tackstrip and other light materials
- Makes fast angle cuts in wood quarter round, tile trim, pvc piping, tackstrip and other materials
- Eliminates the need for a chop or miter saw
- Attached miter guide for precise cutting of angles
- Pre-notched guide at 45°, 60°, 75°, 90°, 105° and 120°

10711Q Multi-Use Trim Shears (6/cs)

## Folding Pro Carpet Knife

ROBERTS



- Comfortable finger loop for extra control and safety
- Two cutting positions provides additional leverage
- Easy one-step blade release for added efficiency
- Metal belt clip for easy storage
- Uses most standard carpet blades

10-225 Folding Pro Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438, 10-490, 10-491,  
10-492,10-493

## Professional Carpet Knife

ROBERTS



- Special thumbstop design provides safety and increased cutting pressure
- Easy push button for quick blade changing
- Knurled grip assures firm grip

10-252 Professional Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438, 10-490, 10-491,  
10-492,10-493

## Cut & Jam Carpet Knife

ROBERTS



- Patented, unique dual function design; use one end to cut carpet and the other to jam carpet into gullies
- Features an easy-open knob with bail, safety thumb and blade guards
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores up to 10 additional heavy duty slotted blades

10-220 Cut and Jam Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438, 10-490, 10-491,  
10-492 10-493

## Razor Blade Knife

ROBERTS



- Features safety guards to keep blade firmly in place
- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores additional heavy duty slotted blades

10-215 Razor Blade Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 110-438, 10-490, 10-491,  
10-492 10-493

## Slotted Blade Carpet Knife

ROBERTS



- Contoured handle for precise cutting
- Finger blade guard
- Extra blade storage

10-253 Slotted Blade Carpet Knife (Includes 2 Slotted Blades)  
(12/cs) Uses replacement blades: 10-438, 10-490,  
10-491, 10-492 10-493

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
See P. 57, \*Prop 65 - 2.

## Big Fatso Multi-Purpose Knife

ROBERTS



- Offset head gives knuckle room and convenient, precise cutting angle
- Large contoured handle for comfort
- Unscrew end cap and swing open for quick and easy blade change
- Uses most standard utility and hook blades with 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility and hook blades

10-218F Fatso Multi-Purpose Knife (Includes 3 Blades) (12/cs)  
Uses replacement blades: 10-433, 10-429, 10-434, 10-440

## Pro Utility Knife

ROBERTS



- Contoured handle allows for better grip and knife control
- Cuts carpet, vinyl, drywall and roofing materials
- Thumb wheel for quick blade change
- Accepts most utility and hook blades
- Easy access extra blade storage

10-221 Pro Utility Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-433, 10-429, 10-434, 10-440

## Professional Fixed Blade Utility Knife

ROBERTS



- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Uses standard replacement blades with 1, 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility blades

10-920-6 Professional Fixed Blade Utility Knife (Includes 3 Blades)  
(6/cs) Uses replacement blades: 10-433, 10-429, 10-434,  
10-440

## Linoleum Knife

ROBERTS




- Cuts linoleum, vinyl sheet goods
- Heavy gauge, high carbon steel blade
- Makes accurate, even cuts without burrs
- Soft, comfort grip handle with hang hole
- Double edge sharp blade will provide years of perfect cuts

10-931 Linoleum Knife (12/cs)

## Heavy Duty Round-End Carpet Blades

ROBERTS




- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.25" long x .017" thick

10-490	10 Blade Blister Card (10 cards/case) (100 blades)
10-491	100 Blade Quick Blade Dispenser (5/cs) (500 blades)
10-438	100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

## Heavy Duty Square-End Carpet Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.25" long x .017" thick

10-492	Carpet Blades, Square-End (10 packs/case) (100 blades)
10-493	100 Blade Quick Blade Dispenser (5/case) (500 blades)

## Heavy Duty Utility Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard utility knives

Heavy Duty Blade Specifications: 2.28" long x .025" thick

10-433	10 Blade Pack (10 packs/case) (100 blades)
10-429	100 Blade Quick Blade Dispenser (5 packs/case) (500 blades)
10-434	100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 1.

## Hooked Blades

ROBERTS



Fits Roberts 10-905 Multipurpose Wall Trimmer

Blade Specifications: 1.84" long x .025" thick

10-440	10 Blade Blister Card (10 cards/case) (100 blades)
--------	--

## Trimmer Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.18" long x .017" thick

10-444-10	10 Blade Blister Card (10 cards/case) (100 blades)
-----------	--

## Strip Cutter Blades

ROBERTS



Fits Roberts 10-108 Strip Cutter

Blade Specifications: 1.86" long x .45" wide x .038" thick

10-439	6 Blade Blister Card (10 cards/case) (60 blades)
--------	--

## Longneck Plus 6" Jamb Saw

ROBERTS



\*hose not included

- 1-1/2" vacuum port for optimal dust containment
- Extended "tail" for maximum leverage against torque
- Powerful, 1100 watt industrial grade power unit, 120V ~ 60Hz, 9.6 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Easy access trigger for better control
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16 in. 36-tooth carbide tip blade and masonry blade
- Includes custom molded carrying case

10-56	Longneck Plus 6" Jamb Saw (1/cs)
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade (6/cs)
10-55-24	Masonry Blade (1/cs)

## Super Six 6" Jamb Saw

ROBERTS



- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Powerful, 900 Watt industrial grade power unit has all ball and needle bearings, 120V ~ 60Hz, 7.5 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Spiral ground gears for smooth, quiet operation
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16" 36-tooth carbide tip blade
- Includes custom molded carrying case

10-46	Super Six 6" Jamb Saw (1/cs)
10-47-2	6-3/16 in. 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16 in. 20-Tooth Carbide Tip Saw Blade (6/cs)

## Jamb Saw Replacement Blades

ROBERTS



- |          |  |
|----------|--|
| 10-47-6  | 6-3/16" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)                                       |
| 10-47-2  | 6-3/16" 36-tooth carbide tipped blade easily cuts through tough wood. Excellent for cutting door jams, baseboards and along walls (2/cs)                       |
| 10-55-24 | 6" Durable masonry blade easily cuts through brick and cement block (1/cs)   |
| 10-42    | 4-1/4" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)<br>For use with Roberts 10-40 Jamb Saw |

## Deluxe Grip Pouch

ROBERTS



- Holds tools firmly in place with special leather insert grips
- Professionally constructed of 100% leather and double stitching
- Slotted to fit directly on the belt
- 7-1/2" x 4" x 1"

10-260 Deluxe Grip Pouch (12/cs)

## Chalk and Line Reel

ROBERTS



- Special formula prevents caking and clotting

10-3035 Chalk Reel (6/cs)

10-321 White Chalk Refill, 8 oz. (24/cs)

## 30' Tape Measure

ROBERTS



- 30' x 1" steel acrylic coated blade
- Rugged case with red rubber jacket
- Bright colors for "easy to find" visibility
- Strong spring return; thumb lock and steel belt clip

10-140 30' Tape Measure (12/cs)



# TACK STRIP

## Peel & Stick Tack Strip

ROBERTS



- All purpose, makes carpet installation easier
- Simply peel and stick - no anchor nails required
- Grips instantly, immediately ready for stretching
- Withstands standard power stretching pressure
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- Each strip is 4 feet

20-1400 Peel & Stick Tack Strip - 12 pack (10/cs)  
 20-1450 Peel & Stick Tack Strip - 3 pack (30/cs)

## Hammered Carpet Gripper Silver

MD



- Constructed of 100% high strength aluminum
- For high traffic areas such as entry ways and doorways where tall pins may extend through the face of the carpet
- Can be installed with any carpet, but is particularly useful with low-pile carpet
- Creates a finished edge against a hard surface
- Ideal for use with concrete subfloors

97028 Carpet Gripper Threshold Silver  
 (1.45" wide x 12 feet long) (12/ per case)

## Hammered Carpet Gripper Satin Brass

MD



- Constructed of 100% high strength aluminum
- For high traffic areas such as entry ways and doorways where tall pins may extend through the face of the carpet
- Can be installed with any carpet, but is particularly useful with low-pile carpet
- Creates a finished edge against a hard surface
- Ideal for use with concrete subfloors

97029 Carpet Gripper Threshold Satin Brass Anodized  
 (1.45" wide x 12 feet long) (12/ per case)

## Professional 2" Strip Cutter

ROBERTS



- Long jaws cut all strip, including architectural strip
- Powerful cutting force - 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)  
 Uses replacement blades: 10-439 (see page 21)

## Multi-Use Trim Shears

OEP



- Easily cuts quarter round, tile trim, PVC piping, tackstrip and other light materials
- Makes fast angle cuts in wood quarter round, tile trim, pvc piping, tackstrip and other materials
- Eliminates the need for a chop or miter saw
- Attached miter guide for precise cutting of angles
- Pre-notched guide at 45°, 60°, 75°, 90°, 105° and 120°

10711Q Multi-Use Trim Shears (6/cs)

## 10 Gauge Concrete Nails

ROBERTS



- A heavy 10-gauge shank nail
- For use on extremely hard or "aged" concrete where 12 gauge could bend or break

33-100	5/8" Concrete Nails (1 lb. Bag) (10/cs)
33-103	5/8" Concrete Nails (5 lb. Bag) (10/cs)
33-123	3/4" Concrete Nails (5 lb. Bag) (10/cs)

## 9 Gauge Fluted Masonry Nails

ROBERTS



- A fluted nail has 20% greater surface area than a smooth shank nail to create more holding power
- The flutes absorb the pressure from the concrete allowing the concrete to grip the nail

34-123	3/4" Fluted Masonry Nails (5 lb. Bag) (10/cs)
--------	---

## 13 Gauge Drive Screw Nails

ROBERTS



- Oval heads are designed for "flush" fit when used to anchor carpet bar and stair nosing
- As the spiral shank is driven into the substrate it forms a screw shaped hole for better grip and hold, which prevents the nail from loosening and prevents damage to the substrate

### 13 Gauge Drive Screw Nails Unichrome

36-114	1-1/4" Drive Screw Nails Unichrome, with 3/16" Nail Head (1 lb. Bag) (50/cs)
--------	--

### 13 Gauge Drive Screw Nails Brass

37-114	1-1/4" Drive Screw Nails Brass, with 3/16" Nail Head (1 lb. Bag) (50/cs)
--------	--

## 12.5 Gauge Elasticel (Acoustical) Nails

ROBERTS



- Special shank designed for anchoring tackless strip to acoustical and light aggregate concrete flooring

35-110	1-1/4" Elasticel (Acoustical) Nails (5 lb. Bag) (10/cs)
--------	---



**VINYL TOOLS**

## 18" Vinyl Tile Cutter

ROBERTS



- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Cuts 18" tiles or 12" tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-918 18" Vinyl Tile Cutter (1/cs)

## 12" Vinyl Tile Cutter

ROBERTS



- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Includes custom blow molded carrying case
- Cuts 12" tiles or 9 in. tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-900 12" Vinyl Tile Cutter (1/cs)

## 12" Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Hardened steel blades for accurate cuts
- Convenient carry handle for easy transport

10-895 12" Vinyl Tile Cutter (3/cs)

## Quik-Cut Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Ball and needle bearings for long life and precise operation
- Hardened steel blades
- Die cast aluminum base

30002 Quik-Cut Vinyl Tile Cutter (3/cs)

## Heavy Duty Linoleum Carpet Roller

ROBERTS



- Detachable transport wheel assembly kit for easy transport, upright support, and protection of segmented rollers included
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-950 75 lb. Roller (1/cs)  
 10-952 100 lb. Roller (1/cs)  
 10-952-04 Replacement Transport Wheel Assembly Kit (1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 1.

## Lightweight 35 lb. Roller

ROBERTS



- Lightweight, easy to carry on and off the job
- Ideal for "double glue" installations
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-935 35 lb. Roller (1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 1.

## Extendible Floor Roller

ROBERTS



- Great for rolling vinyl floor covering, carpet and cove base
- Handle extends from 17" to 27"
- Segmented rollers exert even pressure on uneven surfaces
- 7-3/8" wide non-marking rollers and inset axles won't scuff walls
- Second handle for additional leverage

10-955 Extendible Floor Roller (2/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 1.

## VCT Seam Roller

ROBERTS



- Use to roll seams on VCT and sheet vinyl
- Rounded outside edge
- 2" x 2" polished steel rollers mounted on 2 smooth rolling ball bearings
- Case hardened brackets resist axle wear

10-964 VCT Seam Roller (6/cs)

## "Snuzzle" Adhesive Applicator

ROBERTS



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 "Snuzzle" Adhesive Applicator (25/cs)

Canada (English/French Packaging)

10-981 "Snuzzle" Adhesive Applicator (25/cs)

## Topset Gouge

ROBERTS



- Grooves the back of vinyl or rubber cove base to allow the material to be tightly wrapped around corners
- 5/32" wide blade adjusts for depth and can be sharpened

Only available in Canada

10-279 Topset Gouge (12/cs)

## Mozart Weld Rod Trimmer

MOZART



- Prevents nearly all damage to the floor covering, using one hand
- Unique cutting principle: the bottom of the blade hugs the floor allowing the highest points on the floor covering to determine where the wire is cut
- No sharpening needed - includes interchangeable, industrially manufactured, economical trimming blades
- Includes swivelling MOZART spacer claw, eliminating need for guide plate

Only available in Canada

10-1600 Mozart Weld Rod Trimmer (1/cs)

10-8678 Mozart Trimmer Blades (5-pack blister card) (10/cs)

10-8679 Mozart Weld Rod spacer claw 0.5 mm  
(1 guide on blister card) (10/cs)

10-8700 Mozart Weld Rod spacer claw 0.7 mm  
(1 guide on blister card) (10/cs)

10-041 Fixing Attachments (Spares, 1 screw with 3 spring washers)  
(10/cs)



# WOOD & LAMINATE TOOLS

## 25" Multi-Floor Cutter

ROBERTS



### Applications

- Carpet Tile
  - Laminate and Engineered Wood Flooring
  - Vinyl Flooring
  - Vinyl Siding
  - VCT Tile
  - PVC and more
- Cuts Carpet Tile, Wood Planks and flooring up to 25" wide, 17" diagonal and 16 mm thick
  - Extendible handle provides extra leverage for more cutting power with less effort
  - Cutting guide swivels for angle cuts and is adjustable to maintain perfect 90° cuts
  - Replaceable, resharpenable 4 mm thick tungsten blade

10-95      25" Multi-Floor Cutter (1/cs)  
 10-468    25" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-68

## 18" Multi-Floor Cutter

ROBERTS



### Applications

- LVT flooring
  - Laminate and Engineered Wood Flooring
  - Vinyl Flooring
  - VCT Tile
  - MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 18" wide, 12.5" diagonal and 16 mm thick
  - Extruded aluminum base with solid plastic surface as a comfortable working area
  - Long handle provides extra leverage for more cutting power with less effort
  - Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-99      18" Multi-Floor Cutter (1/cs)  
 10-990    18" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-66

## 13" Multi-Floor Cutter

ROBERTS



### Applications

- LVT flooring
  - Laminate and Engineered Wood Flooring
  - Vinyl Flooring
  - VCT Tile
  - MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 13" wide, 8.5" diagonal and 16 mm thick
  - Extruded aluminum base with solid plastic surface as a comfortable working area
  - Long handle provides extra leverage for more cutting power with less effort
  - Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-94      13" Multi-Floor Cutter (1/cs)  
 10-940    13" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-64

## 9" Multi-Floor Cutter

ROBERTS



### Applications

- LVT flooring
- Laminate and Engineered Wood Flooring
- Vinyl Flooring
- VCT Tile
- MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 9" wide, 5.5" diagonal and 5/8" thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-91      9" Multi-Floor Cutter (1/cs)  
 10-910    9" Tungsten Carbide Rep. Blade (1/cs)

## 13" Multi-Floor Cutter

ROBERTS



### Applications

- Vinyl Plank
- Vinyl Tile
- Laminate Flooring
- Engineered Wood
- Extendible handle provides extra leverage for more cutting power with less effort
- Table miter gauge for angled cuts 0° - 45°
- Replaceable, resharpenable blade
- Cuts up to 13" wide and 12 mm thick material

10-63      13" Multi-Floor Cutter (1/cs)  
 10-463    13" Tungsten Carbide Replacement Blade (1/cs)

## 9" Flooring Cutter

ROBERTS



### Applications

- Laminate and engineered wood flooring
- Carpet Tile
- Vinyl Flooring
- LVT Tile
- VCT Tile
- Heavy duty steel "T" base design for maximum stability
- Extra long handle for better cutting leverage
- Long lasting 9", resharpenable 4 mm tungsten blade
- Versatile angle guide for 45° cuts
- Sturdy, positionable "V" support keeps planks level while cutting

10-60      9" Flooring Cutter (1/cs)  
 10-460    9" Tungsten Carbide Replacement Blade (1/cs)

Plank Width	Max Cutting Thickness
5 1/2"	up to 16 mm thick
7"	up to 12 mm thick
8 1/2"	up to 9.5 mm thick

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 4.

## 8" Laminate Cutter

ROBERTS



- Cuts laminate up to 8" wide and 10 mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting

10-35 8" Laminate Cutter (1/cs)

## Replacement Flooring Cutter Blades

ROBERTS



High quality 4 mm Tungsten Carbide replacement blades:

10-468	25" Replacement Blade for 10-68 and 10-95 (1/cs)
10-910	9" Replacement Blade for 10-91 (1/cs)
10-940	13" Replacement Blade for 10-94 and 10-64 (1/cs)
10-990	18" Replacement Blade for 10-94 and 10-64 (1/cs)
10-460	9" Replacement Blade for 10-60 (1/cs)
10-463	13" Replacement Blade for 10-63 (1/cs)

## Universal Repair Kit

ROBERTS



- Quickly repairs scratches, cracks and other damage
- For use with wood floors, vinyl floors and counters, wood cabinets, moldings and furniture
- 5 colors to custom mix and create unlimited shades to match any project

10-33 Universal Repair Kit (6/cs)

## Wood, Laminate & Vinyl Putty

ROBERTS



- Fills gaps, nicks and scratches on flooring
- Acrylic based putty is easy to use and fast drying
- Can be sanded, painted or stained
- 9 color choices to match a wide variety of flooring
- 3 oz. tubes

PC7725	Brown Repair Putty (6/cs)
PC7726	Light Repair Putty (6/cs)
PC7727	Light Red Repair Putty (6/cs)
PC7728	Gray Repair Putty (6/cs)
PC7729	Gold Tones Repair Putty (6/cs)
PC7730	Tan Repair Putty (6/cs)
PC7731	Dark Red Repair Putty (6/cs)
PC7732	Dark Brown Repair Putty (6/cs)

Only available in Canada

PC7733	Light Gray Repair Putty (6/cs)
--------	--------------------------------

\* For Replacement Knife Blades, see page 21. For Replacement Scraper Blades, see page 57.

## Pro Flooring Installation Kit

ROBERTS



- For floating or glued vinyl, laminate or hardwood flooring installations
- Kit Contains: Expansion Spacers, 2-sided Universal Tapping Block, Wide Angle Pull Bar, Double Faced Mallet

10-43 Pro Flooring Installation Kit (contains 30 Expansion spacers) (6/cs)

## Flooring Installation Kit

ROBERTS



- Used to install all brands of tongue and groove flooring
- Use with glue down and floating floor applications
- Kit contains: Spacers, Tapping Block, Pull Bar

10-26 Flooring Installation Kit (contains 30 wedge spacers) (10/cs)

10-28 Flooring Installation Kit (contains 50 wedges spacers) (6/cs)

## Flooring Expansion Spacers

ROBERTS




- Multi-sided design for maintaining required expansion jointspacing (Patent pending)
- For floating or glued vinyl, laminate or hardwood flooring installations
- Self-bracing to remain upright throughout installation

10-36 Flooring Expansion Spacers (30 spacers/bag) (8/cs)

## Laminate Wedge Spacers

ROBERTS



- Prevents flooring from moving during installation
- Used to create a perimeter expansion gap when installing laminate and other floating floors.

10-27 Laminate Wedge Spacers Only (30 wedges/bag) (6/cs)

## Plank Tapping Block

ROBERTS



- Grooved on one side to mate with laminate tongues to avoid damage
- Distributes tapping force equally to protect the edges of the plank
- Large plastic handle to move and position the block quickly
- 3" wide x 7-1/16" long x 3/4" thick

10-44 Plank Tapping Block (6/cs)

## Universal Tapping Block

ROBERTS



Combination Edge Design

- Unique combination edge design for use with most types of flooring
- Edges specifically designed for:  
Resilient Vinyl Tile and Plank Flooring  
Tongue and Groove Floors  
Click Floors

10-25 Universal Tapping Block (8/cs)

## Tapping Block

ROBERTS



- Used to install all brands of tongue and groove flooring
- High density polypropylene base provides extended product life
- 20" profile equally distributes maximum tapping force
- Comfortable large grip handle

10-17-8 Tapping Block (8/cs)

## Pro Pull Bar

ROBERTS



- Used for floating floor and glue down installations of all brands of tongue and groove flooring
- 16-1/4" long; premium steel construction
- Angled profile allows planks to be tapped together in tight areas and at walls
- Soft felt backing protects floors from scratches during installation

10-18-8 Pro Pull Bar (8/cs)

## Portamatic Evolution

### PORTA-NAILS



### Applications

- 3/8" to 3/4" engineered wood, solid wood, and bamboo flooring
- 3/8" to 5/8" stranded or woven bamboo products

### SPECIFICATIONS

Operating Pressure	80 psi @ 3.8 cfm
Fastener Capacity	110
Fastener Style	18 Ga "L" Cleats

- Unique ram design can be hit at any angle to get closer to the wall
- Cam operated height adjustment
- Quick access to the valve and main piston
- Safety mechanism is built into the base of the tool

418A 18 Ga Floor Nailer (1/cs)

## Porta-Nailer Hammerhead

### PORTA-NAILS



### Applications

- 5/8", 3/4" and 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring (40230 accessory shoe required)
- 1/2" to 9/16" engineered wood flooring (40230 accessory shoe required)

### SPECIFICATIONS

Operating Pressure	Manual
Fastener Capacity	100
Fastener Style	16 Ga "T" Cleats

- Blind nail 3/8" - 33/32" and face nail tongue and groove flooring using interchangeable shoe attachments
- Multi-hit minimizes fatigue while providing greater impact and floor tightness - no need to hit tool hard
- Ratcheting ram allows for single or multi-hit, guaranteeing nails are properly set every time
- Includes extension handle, mallet, angled shoe for 5/8" - 33/32" tongue and groove flooring, wrenches and rugged carrying case

402A 16 Ga Manual Floor Nailer (1/cs)  
 40225 Face Nail Shoe (1/cs)  
 40230 Thin Flooring Shoe (3/8" to 9/16" solid wood floors) (1/cs)

\*Not recommended for stranded bamboo products

## 3-in-1 Portamatic 465SLT

### PORTA-NAILS



### Applications

- 5/8", 3/4" and 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring
- 9/16" engineered wood flooring

### SPECIFICATIONS

Operating Pressure	70-115 psi
Fastener Capacity	100-120 pieces
Fastener Style	16 Ga "T" & "L" Cleats / 15.5 Ga Staples

- 3-in-1 design allows for cleats or staples
- Mallet activated to ensure the tightest floor possible
- Integrated safety prevents accidental firing
- Includes mallet, wrenches, pneumatic lubricant, safety goggles, (2) shoe bases for nailing 1/2" and 3/4" flooring, and carrying case

465SLT 16 Ga 3-in-1 Floor Nailer/Stapler (1/cs)

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 5.

## Portamatic Elevator

### PORTA-NAILS



### Applications

- 3/8" to 5/8" engineered wood, solid wood, and bamboo\* flooring

### SPECIFICATIONS

Operating Pressure	100 psi @ 1.93 cfm
Fastener Capacity	150
Fastener Style	18 Ga 1/4" Staples


- Tool-free adjustable 'Elevator Shoe' for precise adjustment of varying flooring geometry
- Safety mechanism is built into the base of the tool
- Tool-free adjustable exhaust deflector
- Includes carrying case, safety goggles, air inlet, connector and hex wrenches

461A 18 Ga Floor Stapler (1/cs)

\*Not recommended for stranded bamboo products

## Porta-Jack Pro Hardwood Flooring Jack

### PORTA-NAILS



### Applications

- Solid wood flooring
- Engineered wood flooring
- Tightens and holds flooring strips in place for nailing
- Versatile features allow use up against walls or in the middle of the floor
- Straightens crooked or bowed flooring strips
- 'Non-stick' coated base provides protection for pre-finished floors
- Includes 2 knob screws for easy front lip removal
- Delivers over one ton of force

47100 Porta-Jack Pro Hardwood Flooring Jack (1/cs)

⚠WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 2.

## Flooring Mallet

### PORTA-NAILS



- 60 oz. heavy duty mallet for use with mallet actuated nailers and staplers
- Balanced head to maximize striking force
- Flat face insures solid contact with the flooring tool
- Features a hickory handle and a non-marring rubber cap

40009 Flooring Mallet (1/cs)

## Fasteners - Cleats

### "L" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
4702	2" L-Porta-Nails, 16 Ga	1000	5	19 lbs.	1/2" to 3/4" Solid Wood	465SLT
4703	1-3/4" L-Porta-Nails, 16 Ga	1000	5	18 lbs.	1/2" to 3/4" Solid Wood	465SLT
4704	1-1/2" L-Porta-Nails, 16 Ga	1000	5	16 lbs.	1/2" to 3/32" Solid Wood	465SLT
47080	2" L-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 3/32" Solid Wood & ACQ Treated Wood	465SLT
41801	1-1/4" L-Porta-Nails, 18 Ga	2000	5	19 lbs.	3/8" to 9/16" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41802	1-1/2" L-Porta-Nails, 18 Ga	1200	5	16 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41803	1-3/4" L-Porta-Nails, 18 Ga	1200	5	17 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A

### "T" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
42640	1-1/2" T-Porta-Nails, 16 Ga	1000	5	15 lbs.	1/2" to 3/4" Solid Wood	465SLT, 402A
42629	2" T-Porta-Nails, 16 Ga	1000	10	42 lbs.	1/2" to 3/32" Solid Wood	465SLT, 402A
42660	2" T-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 3/32" Solid Wood & ACQ Treated Wood	465SLT, 402A

\*Stainless steel nails are recommended for use with "ACQ" decking.

## Fasteners - Staples

### 1/2" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
47271	1-1/2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	20 lbs.	1/2" to 3/4" Solid Wood	465SLT
47261	2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	24 lbs.	1/2" to 3/32" Solid Wood	465SLT
4723	2" Crown Staples, 15-1/2 Ga, BCS Type	7700	1	36.4 lbs.	1/2" to 3/32" Solid Wood	465SLT


### 1/4" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
46196	1" Crown Staples, 18 Ga	5000	1	5.2 lbs.	3/8" to 7/16" Engineered & Solid Wood	461A
46197	1-1/4" Crown Staples, 18 Ga	5000	1	6.6 lbs.	3/8" to 9/16" Engineered & Solid Wood	461A
46198	1-1/2" Crown Staples, 18 Ga	5000	1	6.2 lbs.	3/8" to 5/8" Engineered & Solid Wood	461A

NWFA recommends that you follow the flooring manufacturers' installation guidelines regarding the tool and fastener to be used on your floors. The recommendations in this catalog are intended to be a guide to assist the user in placing the flooring fastener in the correct position, protect the pre finished surface and to obtain optimum installation results using industry standard guidelines. Always test the flooring for nail placement before full installation.

## Flooring Nail Set

### PORTA-NAILS



- Wide, anti-slip tip is designed to fit T and L flooring Nails/ Cleats or 18 Ga Flooring Staples
- Properly sets nails that are not counter set
- Black oxide finish inhibits rust
- Made of hardened tool steel

42620 Flooring Nail Set (1/cs)



**TROWELS**

## Comfort Grip Trowels

ROBERTS



- Rustproof stainless steel blade
- Large, contoured and cushioned grip handles for comfort
- High quality 11" x 4-1/2" trowel designed for the professional
- Durable 230 mm zinc die-cast shank
- Extra handle-to-shank clearance to allow for complete hand rotation
- Longer shank with 9 rivets
- First and last rivet reinforced and welded

No. in case 12

See chart on P. 42 for available notches

## Wood Handle Trowels

ROBERTS



- Hardened and tempered steel blade, grounded and polished for long lasting durability
- Large wooden handle for an easy grip
- Quality trowel measuring 11" x 4-1/2" designed for the professional installer
- Aluminum die-cast shank
- Some notches available in 16" lengths

No. in case 6

See chart on P. 42 for available notches

## Economy Notched Trowels

ROBERTS



made in USA

- Hard, cold-rolled steel blade for longer wear
- High-impact black plastic handle
- Quality trowel measuring 9" x 4"

No. in case 30

Unless noted as -12

See chart on P. 42 for available notches

## Wall Base Spreader

ROBERTS



- Durable cold-rolled steel blade for applying wall base adhesives
- Conveniently fits into a quart can

10033 Wall Base Spreader - V-Notch 3/16" x 5/32" (24/cs)

## "Snuzzle" Adhesive Applicator

ROBERTS



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges















10-981-25 "Snuzzle" Adhesive Applicator (25/cs)

Canada (English/French Packaging)

10-981 "Snuzzle" Adhesive Applicator (25/cs)

made in USA

## For Carpet, Vinyl Sheet, LVT, VCT and Wood


Notch Size	Application	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
1/16" x 1/16" x 1/16" SQ 	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile, plank, and cork underlayment			10125 10-180-12*
1/16" x 1/16" x 1/16" SQ 	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile and plank	10-823 (with 10° blade angle)	10-810 (with 10° blade angle)	
1/8" x 1/8" x 1/8" SQ 	For pre-finished parquet and wall base			10123-12
1/16" x 1/16" x 3/32" U 	For fiberglass sheet, felt-backed sheet, VCT, luxury vinyl tile and plank		49736	10121-12
3/32" x 3/32" x 3/32" Flat-Top V 	For smooth backed carpet	10-833 (with 10° blade angle)	10-820 (with 10° blade angle)	
1/8" x 1/8" x 1/16" Flat-Top V 	For secondary-backed carpet, direct glue-down, sheet vinyl installations, and cork underlayment		49737	10137-12
1/16" x 1/32" x 1/32" U 	For VCT, vinyl, vinyl tile, and vinyl plank	10-829 (with 10° blade angle)	10-816 (with 10° blade angle)	10111-12
1/16" x 1/32" x 1/32" U 	For VCT, vinyl, luxury vinyl tile and plank			10-180-12*
1/16" x 1/32" x 5/64" U 	For carpet tile, fiberglass sheet, felt-backed sheet, and VCT		49738	10122
1/4" x 1/4" x 1/4" SQ 	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	49915Q 49915QC (QEP)	49713Q 49713QC (QEP)	10113Q (QEP)
1/4" x 1/4" x 1/4" Flat-Top V 	For pre-finished engineered wood plank, solid wood, bamboo and acrylic impregnated plank flooring		10-850	10142-12
3/8" x 5/16" V 	For bamboo, solid and engineered wood flooring from 1/2 to 3/4 in. thick			10143 (12/cs)
1/4" x 3/16" Tiger Tooth® 	For bamboo, solid and engineered wood flooring up to 1/2 in. thick			10144 (12/cs)
3/16" x 1/4" x 1/2" Flat-Top V 	For laminated wood plank, solid wood, bamboo and acrylic impregnated plank flooring		49730	

\* Double Sided Trowels

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch.

All Trowels Measure: Width x Depth x Space Apart

Recommended notch sizes by NTCA (National Tile Contractors Association)



## Seam Adhesive Dispenser

ROBERTS



- Designed to apply seam sealer to the seams of carpet and vinyl flooring
- Use with the "stepped" applicator tip for best results
- Holds up to 8 ounces

1000-8 Seam Adhesive Dispenser (12/cs)



# **CRACK SUPPRESSION**

## MAXXIM SIM-40

PROFLEX



- 40 mil composite underlayment
- Crack Isolation eliminates transmission of cracks up to 3/8" from subfloor to finished floor
- Moisture Vapor Barrier 5 lb./1000 sq. ft. (24 hour CaCl Test)
- Easy and fast to install
- Ready for tiling immediately after installation

SIM40 225 sq. ft. roll, 36" x 75'

## MSC90 - Mega Sound Control

PROFLEX




- 90 mil composite underlayment
- Crack Isolation eliminates transmission of cracks up to 3/8" from subfloor to finished floor
- Moisture Vapor Barrier 5 lb./1000 sq. ft. (24 hour CaCl Test)
- ATSM tested to reduce impact and ambient sound transmission
- Easy and fast to install
- Ready for tiling immediately after installation

LMSC90 100 sq. ft. roll, 36" x 33 1/3'

IIC Rating*	STC Rating*
68	72

## Super SIM-90

PROFLEX



- 90 mil composite underlayment
- Crack Isolation eliminates transmission of cracks up to 3/8" from subfloor to finished floor
- Moisture Vapor Barrier 5 lb./1000 sq. ft. (24 hour CaCl Test)
- ATSM tested to reduce impact and ambient sound transmission
- Easy and fast to install
- Ready for tiling immediately after installation
- Qualifies for LEED™ Green Building Rating System

SS90 100 sq. ft. roll, 36" x 33 1/3'

IIC Rating*	STC Rating*
50	52

## RCU250 - Rubber Cork Underlayment

PROFLEX



- 1/4" Rubber Cork composite underlayment
- Crack Isolation eliminates transmission of cracks up to 1/8" from subfloor to finished floor
- Compatible with a variety of substrates and adhesives
- Qualifies for LEED™ Green Building Rating System

RCU250 1/4" (6 mm) roll - 120 sq. ft. roll, 48" x 36"

IIC Rating*	STC Rating*
54	56



# UNDERLAYMENTS

## Quiet Cushion®

ROBERTS




- 2 mm Progressive Foam Technology (PFT) designed for supreme sound reduction
- Extra fine, cross linked foam for advanced moisture protection and shock absorption
- Delta Rating of 21 - one of the best in the industry
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-180 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
71	67	21

## First Step Premium 3-in-1

ROBERTS



made in  
**USA**

- 2 mm Sound resistant underlayment for use under all laminate and engineered hardwood floating floors
- Excellent moisture resistance
- Reduces ambient noise
- 4" overlap with adhesive strip for installation
- Outstanding compression resistance over time
- For use with below, on and above grade subfloors
- Ideal in condos and multi-level dwellings

70-102-12 100 sq. ft. roll - 40 in. x 30 ft. (12/cs)

70-102-1 630 sq. ft. roll - 40 in. x 189 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
68	67	0.39	20

## SoundBarricade

ROBERTS



- For use under vinyl, laminate or wood flooring
- 1.5 mm Rubber foam technology provides superior acoustical properties
- Crush-proof formulation
- Retains cushion and shape through use of recycled tire crumb particles
- Rubber blend inhibits the growth of mold and mildew

70-197 200 sq. ft. roll - 36 in. x 66 ft. (12/cs)

Flooring	IIC Rating*	STC Rating*	R-Value*	Δ IIC*
LVT & Planks	69	63	0.205	25
Laminate & Wood	68	63	0.205	22

## Super Felt®

ROBERTS



- Made from 80% recycled fibers, provides deep, rich sound by absorbing noise instead of deflecting it
- Extremely high temperature manufacturing process treats fibers
- Excellent for radiant heat floors, mold and mildew resistant
- 3 mm thick pad corrects minor sub-floor imperfections
- 2 mil thick top film protects from harmful moisture vapor
- Added R-Value to chilly floors
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-190 100 sq. ft. roll - 44 in. x 27.3 ft. (1/cs)


70-193 360 sq. ft. roll - 44 in. x 98 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
67	66	0.58	21

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

### 4-in-1 Silent Warmth Ultra

ROBERTS




- Premium cushioning makes floors softer to walk on
- Thermal insulation makes floors warmer and more comfortable
- Suitable for use over radiant heated floors
- For use with laminate and engineered wood
- Folding, lightweight and easy to install
- Lip and tape connecting system
- Made from recycled materials
- 3 mm thick

70-183 103 sq. ft. - 47.2 in. x 26.2 ft. (12/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
68	61	0.115	21

### 3-in-1 Silent Warmth

ROBERTS




- Protects floors from moisture vapor
- Suitable for use over radiant heated floors
- Folding, lightweight and easy to install
- For use under laminate and engineered wood flooring
- Lip and tape connecting system
- Made from recycled materials
- 2 mm thick

70-182 103 sq. ft. - 47.2 in. x 26.2 ft. (12/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
67	61	0.115	21

### Thermawave™

ROBERTS



- Thermawave™ design eliminates re-rolling for easier installation
- Aluminum backing provides moisture protection and thermal insulation
- Dense foam provides excellent sound reduction
- Mold and mildew resistant
- 2 mm foam cushions floor

70-177 100 sq. ft. - 43.5 in. x 27.5 ft. (12/cs)  
Includes adhesive strip and 3" overlap film  
Only available in Canada

IIC Rating*	STC Rating*
69	65

### Black Jack®

ROBERTS



- 2.5 mm thick foam provides optimal floor cushion
- Reduces surface noise as well as sound transference between floors
- Dense closed-cell structure provides high moisture resistance
- Mold and mildew resistant
- For use with below, on and above grade uses under laminate and engineered wood flooring
- Includes overlap and adhesive strip to seal out moisture and join multiple rolls

70-026 100 sq. ft. roll - 43 in. x 28 ft. (12/cs)  
70-026-XL 600 sq. ft. roll - 43 in. x 167.5 ft. (2/cs)

IIC Rating*	STC Rating*	Δ Rating*
70	66	21

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Soft Stride®

ROBERTS



- 2 mm dense foam provides excellent sound reduction under engineered and laminate flooring
- Closed cell foam for excellent moisture protection
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film

70-185 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
69	66	21

## Unison® 2-in-1

ROBERTS



- 3/32" polyethylene foam increases cushioning between flooring and subfloor
- 4" film overlap with adhesive strip for seamless protection
- Top film protects from harmful moisture vapor

70-025 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

Roberts Canada (English/French Packaging)

70-025-C 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

IIC Rating*	STC Rating*	R-Value*
61	54	0.29

## Serenity Foam

ROBERTS



- 3/32" polyethylene foam underlayment for laminate and engineered wood flooring
- Ideal for above grade uses
- Corrects minor subfloor imperfections

70-010 100 sq. ft. roll - 48 in. x 25 ft. (60/cs)

70-010-XL 400 sq. ft. roll - 49 in. x 100 ft. (1/cs)

Roberts Canada (English/French Packaging)

70-010 100 sq. ft. roll - 48 in. x 25 ft. (65/cs)

## Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040 Underlayment Seam Tape - (12/cs)  
1-7/8" x 100' roll

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.  
See P. 57, \*Prop 65 - 1.

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Cork Plus

QEP



- Reduces sound transmission from floor while walking
- Acts as a crack isolation membrane to prevent subfloor cracks from reaching floor surface
- Increases effectiveness of floor heating systems by reducing thermal transmission
- EVA blended cork provides superior flexibility to standard cork underlayments
- Each sheet: 2' x 3'

### Cork Plus Sheets (2' x 3')

72019 1/4" (6 mm) EVA Cork Sheets – 30 sq. ft./pk, (5 sh/pk)  
 72019-25 1/4" (6 mm) EVA Cork Sheets – 150 sq. ft./case, (25 sh/cs)

### Cork Plus Rolls

72002 1/4" (6 mm) EVA Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating	Δ Rating*
With 6" cement slab	52	51	22
With 6" cement slab & suspended ceiling	63	61	22



## Natural Cork

ROBERTS /QEP



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

### Natural Cork Sheets (2' x 3')

70-175 1/4" (6 mm) Sheets – 300 sq. ft./pk, (50 sh/pk)  
 72005-25 1/4" (6 mm) Sheets – 150 sq. ft./case, (25 sh/cs)

### Natural Cork Rolls

72000Q 1/4" (6 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)  
 72003Q 1/4" (6 mm) Natural Cork Roll – 100 sq. ft. roll, 48" x 25' (1/cs)  
 72008Q 1/8" (3 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating	Δ Rating*
With 6" cement slab	51	52	22
With 6" cement slab & suspended ceiling	61	60	22



\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Moisture Barricade

ROBERTS



- Use with standard foam underlaments to protect against moisture
- 6 mil. thick polyethylene film for long life
- Roll unfolds to cover an extra large 10 ft. x 12 ft. area
- Includes adhesive strip

70-115 120 sq. ft. sheet - 10 ft. x 12 ft. (12/cs)

## SVS Silicone Vapor Shield

ROBERTS



- Recommended for staple and nail down installations of solid and engineered wood floors
- Reduces vapor flow without trapping moisture
- Helps reduce dust and noise levels
- Meets perm ratings recommended by the National Wood Flooring Association
- Can be used with radiant heat systems - No asphalt odor

70-198 200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

Roberts Canada (English/French Packaging)

70-198-C 200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

## Aquabar® "B" Moisture Vapor Barrier

QEP



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

## Waxed Paper Roll

ROBERTS



- 30-lb. heavy duty Kraft paper waxed on both sides for use with hardwood or engineered nail-down installations
- Use as a barrier between wood subfloor and new floor on above grade installations
- Helps in reducing squeaks in plywood subfloors
- Use to slide boards into place with ease

70-120 750 sq. ft. roll - 36 in. x 250 ft. (1/cs)  
Only available in Canada



**TAPE**

## Max Grip® Vinyl Floor Installation Tape

ROBERTS



- For the permanent installation of vinyl flooring, wall base, stairs and treads and vinyl trim
- Will adhere to any clean and dry subflooring (concrete, wood, etc...)
- Perfect for modified loose lay vinyl sheet flooring installation
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Great for flooring repairs

50-540 Vinyl Installation Tape - 1-7/8" x 50' (12/cs)

## Max Grip® Carpet Installation Tape

ROBERTS



- For the permanent installation of carpet, moldings and trim
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Works on indoor and outdoor installations
- Ideal for stairs and treads

50-550 Carpet Installation Tape - 1-7/8" x 75' (12/cs)

50-560 Carpet Adhesive Strip - 1" x 164' roll (6/cs)

50-565 Carpet Adhesive Strip - 3" x 164' roll (3/cs)

## Rug Traction™ Anti-Slip Rubber Tape

ROBERTS HOME



- Specially designed non-slip strip for holding rugs and mats in place
- One side attaches permanently to the rug and the other side provides a non-slip surface for additional traction
- Easy to apply and requires no clean up

50-545 Rug Traction™ Anti-Slip - 2-1/2" x 25'  
Individually Boxed (12/cs)

## Duct Tape

ROBERTS



- Great for general repairs, projects, packing, seaming and sealing
- Easily tears by hand
- Conforms easily to uneven surfaces

50-555 Duct Tape - 1-7/8" x 60 yds, Individually Packaged (36/cs)

## Rug Gripper™

ROBERTS HOME



made in USA

- Holds rugs and mats in place on all floor surfaces
- Safe for all floor surfaces, including carpet
- Removable, repositionable

50-580 Rug Gripper™ for Small Rugs – 2-1/2" x 25' roll (6/cs)  
 50-584 Rug Gripper™ Sheet – 10" x 20" sheet (12/cs)  
 50-588 Rug Gripper™ Roll – 3" x 60' roll (6/cs)

## Stay 'N' Place™

ROBERTS HOME



- Holds accent rugs and mats up to 3' x 5' in place
- High holding power for hard surfaces
- Removable, repositionable

50-547 Stay 'N' Place™ – 4" x 4" Tabs (24/cs)

## Tread Tape

ROBERTS HOME



- Anti-slip safety strip
- Extra traction on stairs, ramps, loading docks and ladders
- Coarse, grit sandpaper surface provides traction to prevent slipping and falling

50-585 Tread Tape Roll – 2" x 15' (6/cs)

## Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040 Underlayment Seam Tape – 1-7/8" x 100' roll (12/cs)

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 57, \*Prop 65 - 1.

## Filament Tape

ROBERTS



- General purpose, clear fiberglass-reinforced tape with a synthetic rubber resin adhesive
- Ideal for light duty strapping, wrapping and strengthening
- Provides good adhesion on fiberboard surfaces, plastics and metal surfaces

50-050 Filament Tape – 5/8" x 150' roll (12/cs)



**TEAR-OUT**

## Pro Carpet Knee Pads

ROBERTS



- Padded upper strap specifically designed to be used during knee kicking
- Soft, non-pinching straps
- Wide straps that hold knee pads in place
- A must-have for any installer

79034 Pro Carpet Knee Pads (6/cs)

## Hard Cap Knee Pads

ROBERTS



- Hard cap glides easily on soft flooring
- Nylon fabric with foam cushion
- Adjustable Velcro® straps

79023-6 Hard Cap Knee Pads (6/cs)

## 20 oz. Ripping Hammer

ROBERTS



- Sturdy, quality hickory construction
- Long straight claw is ideal for pulling up old tack strip
- 20 oz. head
- Contoured handle provides optimal strength while minimizing impact shock
- 14" long

10-114 20 oz. Ripping Hammer (6/cs)

## Carpet Puller

ROBERTS



- Unique design provides maximum pulling power
- Serrated clamps provide firm carpet grip, great for removing carpet
- Large comfortable handle
- Die-cast aluminum

10-10 Carpet Puller (2/cs)

⚠WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 57, \*Prop 65 - 2.

## Pro Mini Pry Bar

ROBERTS



- Perfect angles provide ideal leverage for removing base molding and tack strip
- New deep bevel nail slot for easy nail removal
- Constructed from high carbon forged steel with bright nickel plating
- 10-1/2" long

10-503 Pro Mini Pry Bar (3/cs)

## Pro Floor & Wall Scraper

ROBERTS



- Ball cap fits in the palm of your hand for comfortable scraping
- Provides less user fatigue for tough jobs
- Use in a variety of wall and floor stripping applications
- Heavy duty construction for tough, stubborn glue removal

10-188 Pro 4" Floor/Wall Scraper - 18" handle (6/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)  
 10-459 4" Floor/Wall Scraper Replacement Blade (40 pcs.) (10/cs)

## Floor & Wall Scraper

ROBERTS



- Tool-less, easy blade change
- Built-in screwdriver in handle
- Change blades in a matter of seconds
- Use in a variety of wall and floor stripping applications
- Convenient and easy 5 blades in handle with storage tube

10-187 Floor/Wall Scraper (12/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)  
 10-459 4" Floor/Wall Scraper Replacement Blade (40 pcs.) (10/cs)

## Floor & Wall Scrapers

ROBERTS



- Angled head provides "clean shaving" cutting action, perfect for stripping floors, walls and wallpaper
- Features three blade clamp screws for maximum blade holding power and flex-grip anti-fatigue vinyl hand grip

10-194 4" Floor/Wall Scraper - 12" handle (10/cs)  
 10-294 4" Floor/Wall Scraper - 18" handle (10/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs) (10/cs)

## Stand-Up Scraper

ROBERTS



- Professional stand-up scraper
- Steel shank molded into head, welded to steel handle
- Deluxe cushioned grip handle, adjustable from 3' to 6'
- Sturdy construction with an 8" hardened steel blade and locking cam
- Features a 15° angled head

10-296 Stand-Up Scraper (6/cs)  
 10-458 8" Floor/Wall Scraper Replacement Blades (10 blades) (10/cs)

## Heavy Duty 6" Convertible Scraper

ROBERTS



- Dependable heavy duty scraper easily converts to a stand-up scraper with the addition of a stretcher extension tube (sold separately)
- "Action lock" handle adjusts 360° to any position
- Comfortable molded handle maximizes thrust and conserves energy
- Includes a 6" hardened steel blade, heavy duty cast aluminum scraper head and a hardened steel locking cam
- Add 3' stretcher extension tubes to achieve desired length

10-195 Heavy Duty 6" Convertible Scraper (1/cs)  
 10-195-01 6" Hardened Steel Replacement Blade (1/cs)  
 10-230-10 3' Steel Stretcher Tube (1/cs)

## 4" Floor/Wall Scraper Blades

### ROBERTS



- Fits Roberts 10-187, 10-188, 10-194, 10-294 Floor Scraper and all standard 4" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability
- Blades branded with Roberts logo
- Made in USA

Blade Specifications: 4 in. long x .015 in. thick

10-442-10 10 Blade Blister Card (10 cards/case) (100 blades)  
10-459 Scraper Blades (10 cs) (40 blades)

## 8" Floor/Wall Scraper Blades

### ROBERTS



- Fits Roberts 10-296 Stand-Up Scraper, and all standard 8" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability
- Blades branded with Roberts logo
- Made in USA

Blade Specifications: 8" long x 0.74" wide x .035" thick

10-458 10 Blade Tube (1 tube) (10 blades)  
10-462 Scraper Blades (10 cs) (5 blades)

\* For Replacement Knife Blades, see page 21. For Replacement Floor Cutter Blades, see page 34.

## About California Proposition 65

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

**For more information on California Proposition 65, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**

- \*Prop 65 - 1. **⚠️ WARNING:** This product can expose you to chemicals including DEHP, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- \*Prop 65 - 2. **⚠️ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- \*Prop 65 - 3. **⚠️ WARNING:** This product can expose you to chemicals including Nickel (Metallic), which is known to the State of California to cause cancer.
- \*Prop 65 - 4. **⚠️ WARNING:** This product can expose you to chemicals including Lead and DEHP which is known to the State of California to cause cancer, birth defects or other reproductive harm.
- \*Prop 65 - 5. **⚠️ WARNING:** This product can expose you to chemicals including Toluene Diisocyanate, which is known to the State of California to cause cancer and Butadiene which is known to the State of California to cause cancer, birth defects or other reproductive harm.

# INDEX By Item Number

Item #	Description	Page	Item #	Description	Page	Item #	Description	Page
10-10	Carpet Puller	55	10-286G	6" Heat Bond Iron	11	10-8679	Mozart Weld Rod Spacer Claw 0.5 mm	30
10-17-8	Tapping Block	36	10-294	4" Floor/Wall Scraper - 18" handle	56	10-8700	Mozart Weld Rod Spacer Claw 0.7 mm	30
10-18-8	Pro Pull Bar	36	10-296	Stand-Up Scraper	56	20-1400	Peel & Stick Tack Strip - 12 pack	25
10-25	Universal Tapping Block	36	10-303S	Chalk Reel	13, 23	20-1450	Peel & Stick Tack Strip - 3 pack	25
10-26	Flooring Installation Kit	35	10-321	White Chalk Refill, 8 oz.	13, 23	30-110	3/8" Chisel Point Staples	10
10-27	Laminate Wedge Spacers Only	35	10-410	Adjustable Knee Kicker	9	30-210	3/8" Divergent Point Staples	10
10-28	Flooring Installation Kit	35	10-412-09	Replacement Bumper Pad	8,9	33-100	10 Gauge Concrete Nails	26
10-33	Universal Repair Kit	34	10-412-2	Deluxe Knee Kicker	9, 13	33-103	10 Gauge Concrete Nails	26
10-35	8" Laminate Cutter	34	10-422-09	Replacement Thick Bumper Pad	8,9	33-123	10 Gauge Concrete Nails	26
10-36	Flooring Expansion Spacers	35	10-422BK	Deluxe High Profile Knee Kicker	9	34-123	9 Gauge Fluted Masonry Nails	26
10-42	4-1/4" Carbide Tipped Blade	22	10-429	Quick Utility Blade Dispenser	21	35-110	12.5 Gauge Elastical (Acoustical) Nails	26
10-43	Pro Flooring Installation Kit	35	10-433	Heavy Duty Utility Blades	21	36-114	13 Gauge Drive Screw Nails Unichrome	26
10-44	Plank Tapping Block	36	10-434	Heavy Duty Utility Blades - Bulk	21	37-114	13 Gauge Drive Screw Nails Brass	26
10-46	Super Six 6" Jamb Saw	22	10-438	Carpet Blades, Heavy Duty Round-End	21	50-040	Underlayment Seam Tape	48, 53
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade	22	10-439	Strip Cutter Blades	21	50-050	Filament Tape	53
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade	22	10-440	Hooked Blades	21	50-540	Vinyl Installation Tape	52
10-55-24	6" Masonry Blade	22	10-442-10	4" Floor/Wall Scraper Replacement Blade	56, 57	50-545	Rug Traction™ Anti-Slip Tape	52
10-56	Longneck Plus 6" Jamb Saw	22	10-444-10	Trimmer Blades	21	50-547	Stay 'N' Place™ Tabs	53
10-60	9" Flooring Cutter	33	10-458	8" Floor/Wall Scraper Replacement Blades	56, 57	50-550	Carpet Installation Tape	52
10-63	13" Multi-Floor Cutter	33	10-459	4" Floor/Wall Scraper Replacement Blade	56, 57	50-555	Duct Tape	52
10-91	9" Flooring Cutter	33	10-460	9" Tungsten Carbide Replacement Blade	33, 34	50-560	1" Carpet Adhesive Strip	52
10-94	13" Flooring Cutter	32	10-462	8" Floor/Wall Scraper Replacement Blade	57	50-565	3" Carpet Adhesive Strip	52
10-95	25" Pro Flooring Cutter	32	10-463	13" Tungsten Carbide Replacement Blade	33, 34	50-580	Rug Gripper™ for Small Rugs	53
10-99	18" Flooring Cutter	32	10-468	25" Tungsten Carbide Replacement Blade	32, 34	50-584	Rug Gripper™ Sheet	53
10-041	Mozart Fixing Attachments	30v	10-480	Dual Air Glider	14	50-585	Tread Tape Roll	53
10-100	5" Extra Wide Carpet Seam Roller	12	10-482G	Cool Shield Heat Bond Iron	11	50-588	3" Rug Gripper™ Roll	53
10-101	4-1/2" Deluxe Carpet Seam Roller	12	10-490	Carpet Blades, Heavy Duty Round-End	21	70-010	Serenity Foam	48
10-107-03	Tailblade Replacement Unit	7	10-491	Quick Carpet Blade Dispenser	21	70-010-XL	Serenity Foam	48
10-108	Professional 2" Strip Cutter	13, 18, 25	10-492	Carpet Blades, Square-End	21	70-025 (-C)	Unison® 2-in-1	48
10-109	Staple Hammer	10, 13	10-493	Quick Carpet Blade Dispenser	21	70-026	Black Jack	47
10-114	20 oz. Rippling Hammer	13, 55	10-501	GT Knee Kicker	8	70-026-XL	Black Jack	47
10-117-04	Powerhead Replacement Unit	7	10-503	Pro Mini Pry Bar	13,55	70-102-1	First Step Premium 3-in-1	46
10-121	8" Napping Shears	18	10-505-2	Gel Pro 505 Knee Kicker (Silver)	8	70-102-12	First Step Premium 3-in-1	46
10-123	10" Carpet Shears	18	10-505-200	Gel Bumper Pad Kit	8	70-115	Moisture Barricade	50
10-128	Locking Pattern Matching & Seam Repair Stretcher	7	10-505-LE	Gel Pro 505 Knee Kicker (Red)	8	70-120	Waxed Paper Roll	50
10-140	30" Tape Measure	13, 23	10-517	Row Finder Separator	13, 17	70-127-3	Carpet Rake and Groomer	14
10-146-3	Cushion Back Cutter	16	10-521	Pro Stair Tool	13, 17	70-175	1/4" (6 mm) Natural Cork Sheets	49
10-146GT	GT Cushion Back Cutter	13, 16	10-522-4	EZ TUK Carpet Tucker	13, 17	70-177	Thermawave™	47
10-151	Nail Driving Bar	10, 13	10-523	Rolling Carpet Tucker	17	70-180	Quiet Cushion®	46
10-152-3	Loop Pile Cutter	16	10-524	T-Handle Carpet Tucker	17	70-182	3-in-1 Silent Warmth	47
10-152GT	GT Loop Pile Cutter	13, 16	10-524	T-Handle Carpet Tucker	17	70-183	4-in-1 Silent Warmth Ultra	47
10-154-3	Universal Seam Cutter	17	10-5418D	9/16" Divergent Point Staples	10	70-185	Soft Stride®	48
10-161	24" Steel Tool Box, Black	13	10-55-24	6" Masonry Blade	29	70-190	Super Felt®	46
10-161-LE	24" Steel Tool Box, Red Anniversary Ed.	13	10-575	Heavy Cargo Dollies	14	70-193	Super Felt®	46
10-169	4" Loop Pile Seam Roller	12, 13	10-585	6" Duckbill Napping Shears	18	70-195	Aquabar B	50
10-170	4" Cut Pile Seam Roller	12	10-586-3	7" Duckbill Napping Shears	13, 18	70-197	Sound Barricade	46
10-180-12	1/16" x 1/32" x 1/32" U, Economy Trowel	42	10-600	Professional Electric Stapler	10	70-198 (-C)	SVS Silicone Vapor Shield	50
10-187	Floor/Wall Scraper	56	10-616-2A	Conventional Carpet Trimmer	13, 16	402A	Porta-Nailer Manual Floor Nailer	37
10-188	Pro 18" Floor/Wall Scraper	56	10-617GT	GT Carpet Trimmer	16	418A	Portamatic Evolution, 18 Ga Floor Nailer	37
10-194	4" Floor/Wall Scraper - 12" handle	56	10-750	Carpet Installation Tool Kit	13	42620	Flooring Nail Set	39
10-195	Heavy Duty 6" Convertible Scraper	56	10-810	SQ-Notch Wood Handle Trowel	42	461A	Portamatic Elevator, 18 Ga Floor Stapler	38
10-195-01	6" Hardened Steel Replacement Blade	56	10-816	U-Notch Wood Handle Trowel	42	465SLT	3-in-1 Floor Nailer/Stapler	37
10-215	Razor Blade Knife	19	10-820	Flat-Top V, Wood Handle Trowel	42	1000-8	Seam Adhesive Dispenser	42
10-218F	Fatso Multi-Purpose Knife	20	10-823	SQ-Notch Comfort Grip Trowel	42	4702	2" L-Porta-Nails, 16 Ga	39
10-220	Cut and Jam Carpet Knife	19	10-829	U-Notch, Comfort Grip Trowel	42	4703	1-3/4" L-Porta-Nails, 16 Ga	39
10-221	Pro Utility Knife	20	10-833	Flat-Top V, Comfort Grip Trowel	42	4704	1-1/2" L-Porta-Nails, 16 Ga	39
10-225	Folding Pro Carpet Knife	19	10-850	Flat-Top V, Wood Handle Trowel	42	4723	2" Crown Staples, 15-1/2 GA	39
10-230-10	3' Steel Stretcher Tube	5, 56	10-895	12" Vinyl Tile Cutter	28	10033	Wall Base Spreader - V-Notch	41
10-230-3K	Stretcher Tube Case with Three 3' Extension Tubes	6	10-900	12" Vinyl Tile Cutter	28	10111-12	U-Notch Economy Trowel	42
10-230-40	Stretcher Case with Wheels	6	10-905	Multi-Purpose Wall Trimmer	16	10113Q	SQ-Notch Economy Trowel	42
10-235-05	5' Aluminum Stretcher Tube	5	10-910	9" Tungsten Carbide Replacement Blade	33, 34	10121-12	U-Notch Economy Trowel	42
10-235-10	3' Aluminum Stretcher Tube	5	10-918	18" Vinyl Tile Cutter	28	10122	U-Notch Economy Trowel	42
10-237	Junior Power Stretcher	6	10-920-6	Professional Fixed Blade Utility Knife	13, 20	10123-12	SQ-Notch Economy Trowel	42
10-237-50	Replacement Power Head	6	10-931	Linoleum Knife	13, 20	10125	SQ-Notch Economy Trowel	42
10-237V	Junior Power Stretcher Value Kit	6	10-935	Lightweight 35 lb. Roller	29	10137-12	Flat-Top V, Economy Trowel	42
10-248	Nap Grip Head (Cotton Head)	7	10-940	13" Tungsten Carbide Replacement Blade	32, 34	10142-12	Flat-Top V, Economy Trowel	42
10-250	Adjustable Locking Tube	5	10-950	Heavy Duty Linoleum Carpet Roller	29	10143	V-Notch Economy Trowel	42
10-252	Professional Carpet Knife	13, 19	10-952	Heavy Duty Linoleum Carpet Roller	29	10144	Tiger Tooth® Economy Trowel	42
10-253	Slotted Blade Carpet Knife	19	10-952-04	Replacement Transport Wheel Kit	29	10711Q	Multi-Use Trim Shears	18, 25
10-254	Power-Lok Stretcher	5	10-955	Extendible Floor Roller	29	30002	Quik-Cut Vinyl Tile Cutter	28
10-254-50	Replacement Power Head	5	10-964	VCT Seam Roller	30	40009	Flooring Mallet	38
10-254V	Power-Lok Stretcher Value Kit	5	10-981-25	"Snozzle" Adhesive Applicator	30, 41	40225	Face Nail Shoe	37
10-258	Power Stretcher Tail	7	10-981	"Snozzle" Adhesive Applicator	30, 41	40230	Thin Flooring Shoe	37
10-260	Deluxe Grip Pouch	13, 23	10-990	18" Tungsten Carbide Replacement Blade	32, 34	41801	1-1/4" L-Porta-Nails, 18 Ga	39
10-279	Topset Gouge	30	10-1600	Mozart Weld Rod Trimmer	30	41802	1-1/2" L-Porta-Nails, 18 Ga	39
10-282G-2	Deluxe Heat Bond Iron, Grooved Base	11	10-8678	Mozart Trimmer Blades	30	41803	1-3/4" L-Porta-Nails, 18 Ga	39
						42629	2" T-Porta-Nails, 16 Ga	39
						42640	1-1/2" T-Porta-Nails, 16 Ga	39

Item #	Description	Page	Item #	Description	Page	Item #	Description	Page
42660	2" T-Porta-Nails, 16 Ga	39	61613	White Rubber Mallet	13	PC7725	Brown Repair Putty	34
46196	1" Crown Staples, 18 Ga	39	72000Q	1/4" (6 mm) Natural Cork Rol	49	PC7726	Light Repair Putty	34
46197	1-1/4" Crown Staples, 18 Ga	39	72002	1/4" (6 mm) EVA Cork Roll	49	PC7727	Light Red Repair Putty	34
46198	1-1/2" Crown Staples, 18 Ga	39	72003Q	1/4" (6 mm) Natural Cork Roll	49	PC7728	Gray Repair Putty	34
47080	2" L-Porta-Nails, 16 Ga	39	72005-25	1/4" (6 mm) Natural Cork Sheets	49	PC7729	Gold Tones Repair Putty	34
47100	Porta-Jack Pro Hardwood Flooring Jack	38	72008Q	1/8" (3 mm) Natural Cork Roll	49	PC7730	Tan Repair Putty	34
47261	2" Crown Staples, 15-1/2 GA	39	72019	1/4" (6 mm) EVA Cork Sheets	49	PC7731	Dark Red Repair Putty	34
47271	1-1/2" Crown Staples, 15-1/2 GA	39	72019-25	1/4" (6 mm) EVA Cork Sheets	49	PC7732	Dark Brown Repair Putty	34
49713Q(-C)	Square Notch, Wood Handle Trowel	42	79023-6	Hard Cap Knee Pads	55	PC7733	Light Gray Repair Putty	34
49730	Flat-Top V, Wood Handle Trowel	42	79034	Pro Carpet Knee Pads	55	RCU250	RCU250 - Rubber Cork Underlayment	44
49736	U-Notch, Wood Handle Trowel	42	97028	Carpet Gripper Threshold Silver	25	SIM40	MAXXIM SIM-40	44
49737	Flat-Top V, Wood Handle Trowel	42	97029	Carpet Gripper Threshold Satin Brass Anodized	25	SS90	Super SIM-90	44
49738	U-Notch, Wood Handle Trowel	42						
49915Q(-C)	SQ-Notch Comfort Grip Trowel	42	LMSC90	MSC90 - Mega Sound Control	44			

## INDEX By Description

Description	Page	Description	Page	Description	Page
<b>A</b>		Knee Pads	55	Staplers, Manual/Pneumatic	37-38
Adhesive Applicator, "Snuzzle"	30, 41	Knives	19-20	Staples	39
Adhesive Dispenser	42	<b>L</b>		Staples, Chisel Point	10
Adhesive Strip	52	Loop Pile Cutter	16	Staples, Divergent Point	10
Air Gliders	14	Laminate Cutters	32-34	Stretcher Cases	6
<b>B</b>		Linoleum Knives	20	Stretcher Tubes	5, 56
Blades, Carpet	21	L-Nails	39	Stretchers	5-7
Blades, Hooked	21	<b>M</b>		Strip Cutters	18, 25
Blades, Jamb Saw	22	Mallets	13, 38	<b>T</b>	
Blades, Laminate Cutter	32, 34	Mozart Trimmers	30	Tack Strip	25
Blades, Masonry	22	<b>N</b>		Tape Measure	23
Blades, Scraper	56, 57	Nailers	37-38	Tape, Carpet	52-53
Blades, Strip Cutter	21	Nails, Concrete	26	T-Nails	39
Blades, Trimmer	21	Nails, Drive Screw	26	Tool Box	13
Blades, Utility	21	Nails, Elasticel	26	Tool Pouch	23
<b>C</b>		Nails, Fluted Masonry	26	Topset Gouge	30
Carpet Tuckers	17	Nails, L-Nails	39	Trimmers	16
Chalk	23	Nails, T-Nails	39	Trowels	41-42
Chalk Reel	23	Napping Shears	18	Trowels, Comfort Grip	41-42
Cork Underlayment	49	<b>P</b>		Trowels, Double Sided	42
Crack Suppression	44	Putty	34	Trowels, Economy	41-42
Cushion Back Cutters	16	<b>R</b>		<b>U</b>	
Cutters, Laminate	32-34	Rollers, Floor	29	Underlayment	46-50
Cutters, Vinyl	28	Rollers, Seam	12, 30	Underlayment Seam Tape	48, 53
<b>D</b>		Row Finder Separator	17	<b>V</b>	
Dollies	14	<b>S</b>		Vapor Barriers	50
<b>H</b>		Scrapers	56	Vinyl Tile Cutters	28
Hammers	55	Seam Cutters	16-17		
Heat Bond Irons	11	Seam Rollers	12		
<b>K</b>		Shears, Napping	18		
Kits	13, 34	Staple Hammers	10		
Knee Kickers	8-9	Staplers	10		

Roberts®, AirGuard®, Cool Shield®, the e® logo, Golden Touch®, Max Grip®, Quiet Cushion®, Soft Stride®, Super Felt®, Tiger Tooth®, Black Jack Floating Floor Underlayment® and Unison® are registered trademarks of Roberts Consolidated Industries, Inc.

Accuply®, Porta-Nails® and Suspend-It® are registered trademarks of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber, LLC.

CRI™ is a trademark of The Carpet and Rug Institute

DUO-FAST® is a registered trademark of Illinois Tool Works Inc.

Primpact® is a registered trademark of Laboratoire Primatch Inc.

Rug Gripper™ is a trademark of Optimum Technologies, Inc.

VELCRO® is a registered trademark of Velcro B.V.B.A.

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change. Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.

# WORLD CLASS WORLDWIDE



1001 Broken Sound Parkway, NW | Suite A  
Boca Raton, Florida 33487

For more information call 866-435-8665  
Se habla español

[www.robertsconsolidated.com](http://www.robertsconsolidated.com)  
[www.porta-nails.com](http://www.porta-nails.com)